

	Application No.	Applicant(s)
Notice of Allowability	10/749,723	GODIL ET ÁL.
	Examiner	Art Unit
	Leonard S. Liang	2853
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to the amendment after-final filed on 11/22/06.		
2. The allowed claim(s) is/are <u>1-3 and 10-16</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da 7. ☑ Examiner's Amendr	(PTO-413), te ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	9.	MANISH S. SHAH PRIMARY EXAMINER

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Patrick Roche on 12/04/06.

The application has been amended as follows:

- In claim 1, lines 3 and 6, replace "parameter" with --temperature--
- In claim 1, line 10, delete the "a" between the words "calculating" and "temperature"
- In claim 2, line 2, replace "parameter" with --temperature--
- In claim 10, lines 7 and 11, replace "parameter" with --temperature--
- In claim 11, line 2, replace "parameter" with --temperature--
- In claim 16, line 2, replace "parameter" with --temperature--

## Allowable Subject Matter

Claims 1-3 and 10-16 are allowed. The reasons for allowance were stated in a previous action.

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Application/Control Number: 10/749,723

Art Unit: 2853

Jones et al (US Pat 7118205) discloses a heater and drip plate for ink loader melt assembly.

Jerde et al (US Pat 4627740) discloses a self-calibrating temperature probe apparatus and method for use thereof.

Lewis (US Pat 4593292) discloses an ink-jet apparatus and method of operating ink jet apparatus employing phase change ink melted as needed.

DeBonte (US Pat 4607266) discloses phase change ink jet with independent heating of jet and reservoir.

Lin et al (US Pat 5235350) discloses pigmented semiconductive hot melt ink and ink jet apparatus employing same.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leonard S. Liang whose telephone number is (571) 272-2148. The examiner can normally be reached on 8:30-5 Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2853

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

12/04/06 lsl / \lambda1

12/5/06

MANISH S. SHAH PRIMARY EXAMINER